PT-E300VP





PT-E300VP Industrial Label Printer

Dedicated functions for faceplates, cables and patch panel labels creation.

- Easy-to-use QWERTY keyboard
- Print on 3.5, 6, 9, 12, 18mm TZe laminated labels
- Print on 5.2, 9.0, 11.2mm Heat Shrink tubes
- Large Graphical LCD display with backlight









PT-E300VP

PT-E300VP label printer is an indispensable tool for all electricians and datacom installers. It comes with a Rechargeable Li-ion battery and AC power adapter stored in a durable hard carrying case. The large backlit graphical LCD, QWERTY style keyboard, and specialised functions make industrial labelling quick and easy, leaving a professional-looking label.



TZe laminated labels – designed to last

Brother's TZe laminated tapes consist of six layers of materials, resulting in a thin yet extremely strong label. The direct thermal transfer ink is sandwiched between two protective layers of PET (polyester film) which protects the text against the effects of liquids, abrasion, temperature, chemicals, and sunlight. As the labels are tested to the extreme, professional quality labels have been designed to last.























Flexible-ID Tape Use on curved sufaces, bends or cylindrical surfaces.



Strong Adhesive Tape Use on uneven, rough and textured surfaces.



Heat Shrink Tube Shrinks and grips cable when heat is applied.

Specification

Hardware		Built-in software	
Housing Dimension Housing Weight Tape size/type Print resolution Maximum Print height Maximum Print speed Cutter type Keyboard type Number of keys LCD display LCD backlight LCD size Print preview Text buffer Label memory Power	133mm (W) x 220mm (H) x 69mm (D) 740g TZe tape: 3.5, 6, 9, 12, 18mm HSe tape: 5.2, 9.0, 11.2mm (Shrink ratio: 3:1) 180dpi 15.8mm 20mm per second Manual cutter QWERTY with numeric keypad 64 15-character x 3 lines graphic Yes 67mm x 40mm Yes Maximum 200 characters 50 programmable memories Rechargeable Li-ion battery (included) AD-E001A AC Power adapter (included) 6 pcs of AA alkaline batteries (LR03) or 6 pcs of AA Ni-MH batteries (HR03) (not included)	Built-in folis Built-in symbols Character sizes Character widths Font styles Frames Underline Maximum no of lines Horizontal alignment Cter x 3 lines graphic Tape length setting Tape margin setting Tape margin setting Tab function Special labelling functions Automatic numbering Mirror printing Vertical printing Built-in folis Built-in folis Built-in folis Built-in folis Built-in symbols Character sizes Character widths Font styles Frames Underline Maximum no of lines Horizontal alignment Tape length setting Tape margin setting Tab function Special labelling functions Automatic numbering Mirror printing Vertical printing Barcode greation	7 384 7 types (6, 9, 12, 18, 24, 36, 42 pt) 4 types (extended, medium, condensed) 9 7 Yes 5 Automatic length labels: left aligned Pre-set label length: centre aligned Yes, (25mm - 300mm) Narrow, half, full, chain print Yes Cable Wrap, Cable Flag, Faceplate, Sequential Numbering, Patch Panel, Punch Down Block Yes No Yes Yes, (9 kinds, CODE 39, CODE 128, EAN 13, EAN 8, ITF 2/5, UPC-A, UPC-E, CODABAR, GS1-128 (UCC/EAN128)
PT-E300 Label Printer BA-E001 Rechargeable Li-ion battery AD-E001A AC Power adapter TZe-S221 9mm Black on White Strong Adhesive tape, (8m long) Wrist strap Hard carrying case User guide	Copy (repeat) printing Print preview Auto power off Unit change Languages	Print preview Yes, (Graphical preview) Auto power off Yes Unit change Yes, (inch/mm)	







