

Made for your enterprise.
Built for performance.

Every business needs a reliable business partner. The new mono laser series helps you maximise print efficiency and minimise costs so you can make the most of your investment.



MFC-L5700DN

Built to meet the challenges of your business

Discover how Brother Multi-Function Centre can bring your performance to the next level.

Built for Productivity

Keep productivity at its maximum with **high print speed of up to 40ppm¹**. What's more, the **Ethernet connection** allows easy sharing of printer within the workgroup.

Focus on your high volume print jobs and spend less time reloading paper with the default paper tray of up to 250 sheets capacity, 50 sheets multi-purpose tray, plus optional upgrades of two additional paper trays, bringing the **total paper capacity up to 1,340 sheets**.



Built for Reliability

Print as much as you need with a robust and dependable machine that has a **monthly print cycle of up to 50,000 pages**

Built for Savings

Minimise printing costs with **12,000 pages² super high-yield toner**. Choose from different toner settings to increase your savings per printout.

¹In accordance with ISO/IEC 11160-2:1996

²Applicable to TN-3478 only, in accordance with ISO/IEC 19752

Simplify business operations and safeguard your documents

Easily manage your Brother network-connected products from one central location using **BRAdmin Professional Software**.

This network management tool allows **remote configurations**, **monitoring of useful information** such as page count, toner and drum status. With the option of setting print quota of each user, you can better **control printing cost**. Instant **notification of printer downtime** also lets you attend to the problem before it impacts productivity. What's more, this software features a **suite of security solutions** to assure you of your documents' confidentiality.



Secure Function Lock 3.0 gives greater control over group or individual usage by limiting printer functions.



Internet Protocol Security (IPSec) encrypts print jobs from the user's computer to the printer.



Print Archive saves a PDF copy of every print job for easy E-Documentation.



Secure Reset removes stored data when reverting the machine to its original settings.



Active Directory enables easy central management of user login authentication in an organisation.

Flexible workflow solutions customised for your business

- The **Brother Special Solutions Customisation (SSC)** enables Brother products to be modified depending on your needs. Through careful collaboration, we help you design the best solution that meets specific business challenges.
- The **Brother Solutions Interface (BSI)** is a web-based service platform that lets software developers easily create customised solutions.

Optional accessories available with this range



TN-3428
3,000 pages
Standard-Yield
Toner



TN-3448
8,000 pages
High-Yield
Toner



TN-3478
12,000 pages
Super High-Yield
Toner



DR-3455
30,000 pages
Drum

Optional accessories require additional purchase
Approx. yields based on ISO/IEC 19752. Declared drum yield based on 1 page/job.

MFC-L5700DN	
Key Functions	Automatic 2-sided Print, Scan, Copy and Fax and Network Connectivity
PRINT FUNCTIONS	
Print Speed (A4/Letter)	Up to 40 / 42 ppm*
Print Resolution	Up to 1200 x 1200 dpi
First Print Out Time (Ready)	Less than 7.2 secs
Double-sided Feature	Automatic 2-sided Print
Special Print Functions	N-in-1 Printing, Poster Printing (Windows®), Watermark Printing (Windows®), Header-Footer Printing (Windows®), Secure Print
Print Language	PCL6, BR-Script3, IBM Proprinter XL, Epson FX-850, PDF Version 1.7, XPS Version 1.0
Quiet Mode	Yes
COPY FUNCTIONS	
Copy Speed (A4/Letter)	Up to 40 / 42 cpm
Copy Resolution	1200 x 600dpi
Reduction / Enlargement Ratio	25% - 400% in 1% increments
Multi Copy / Stack	Up to 99 copies
SCAN FUNCTIONS	
Scan Type	Monochrome / Colour - ADF or Flatbed
Dual Scanner (Method)	Yes (CIS)
Resolution (Optical/Enhanced)	Up to 1200 x 1200 dpi / Up to 19,200 x 19,200 dpi
Scan Functions	Scan to Email, Image, OCR, File, Email Server (Download only), FTP, SFTP, USB and Network (Windows® only)
Scanning Speed (Mono/Color) Multiple sheets	Up to 24/20 ipm***
FAX FUNCTIONS	
Modem Speed	33.6Kbps Super G3
Transmission Speed (Mono)	Approximately 2.5 secs (ITU-T Test Chart, Std Resolution, JBIG)
Memory Transmission / Out-of Paper Reception	Up to 500 pages (ITU-T Test Chart, Std Resolution, JBIG)
Speed Dial	300 Locations
Group Dials	20 Groups
Broadcasting	350 Locations
PC Faxes	Sending (Available for Windows®, Mac® [FaxShare Software by Brother], Linux® [LPR / CUPS PC-FAX Send Driver]) Receiving (Available for Windows®)
Other Fax Features	Internet Fax - Simple mode (Download only), Auto Reduction, Delay Timer (Up to 50), Error Correction Mode, Fax Retrieval, Remote Access, Quick Scan (Approx. 2.5 Sec), Fax Forward
PAPER HANDLING	
Input Tray (Standard)	250 Sheets
Multi-Purpose Tray / Manual Slot	50 Sheets 60-200g/m ² (Paper weight) 76.2 to 215.9 mm (W) X 127 to 355.6 mm (L) (Paper size)
Output Tray (Face Down)	150 Sheets
Optional Paper Tray (Input)	250 sheets (LT-5500) or 520 sheets (LT-6500) x 2 pcs (Max. 1,040 sheets)
Automatic Document Feeder (ADF)	50 Sheets
Media Size (Standard Tray)	A4, Letter, A5, A5(Long Edge), A6, Executive, Legal, Folio, Mexico Legal, India Legal
OTHERS	
Memory	512MB
Processor Speed	Cortex-A9 (800MHz)
Display	3.7" TFT Colour LCD
Windows® (Host-Based)	Windows® XP Home Edition, XP Professional Edition, XP professional x64 Edition, Server 2003 (Network only), Server 2003 x64 Edition (Network only), Vista, Server 2008 (Network only), Server 2008 R2 (Network only), 7, 8, 8.1, 10, Server 2012 (Network only), Server 2012 R2 (Network only)
Apple Mac®	Mac OS X v10.8.5, 10.9.x, 10.10.x (Download only)
Linux® (Linux® Printer Driver)	CUPS, LPD / LPRng (x86 / x64 environment)
Universal Printer Driver	Yes (BRScript / PCL)
Connectivity / Networking	Built-in Ethernet 10Base-T / 100Base-TX
Power Consumption (Sleep/Ready)	7.5W / 34W
Power Source	220-240V, AC 50/60Hz
WebConnect (Brother's Apps)	Yes
SUPPLIES	
Standard-Yield Toner	TN-3428: Approximately 3,000 pages**
High-Yield Toner	TN-3448: Approximately 8,000 pages**
Super High-Yield Toner	TN-3478: Approximately 12,000 pages**
Drum	DR-3455: Approximately 30,000 pages**
DIMENSIONS & WEIGHT	
Dimension (W X D X H)	435 x 427 x 486 mm
Weight	16.8KG

* In accordance with ISO/IEC 11160-2:1996

** In accordance with ISO/IEC 19752

*** In accordance with ISO/IEC 17991



Working with you for a better environment
www.brotherearth.com



One-stop centre for free downloadable templates



Brother strongly recommends the use of genuine Brother consumable products only. Benefits include better quality print, greater yields per consumable, protection of your machine from damages and achievement of optimum performance. As a precaution, please note that your machine warranty may not cover any damages arising from the use of non-genuine consumables.

www.brother.com

Microsoft, Windows, the Windows logo and/or other Microsoft products referenced herein are either registered trademarks of Microsoft Corporation in the U.S. and/or other countries. Brother and its logo are trademarks of Brother Industries Ltd., Japan. All specifications are subject to change without notice. All registered trademarks referenced herein are the property of their respective companies.
Brother International Corporation, Japan.